

PRODUCT INFORMATION



TFM 160

Item number: 513.05.2268.2

ANUAL ENERGY CONSUMPTION (AEC_{hood})	53,1 kWh/a
ENERGY EFFICIENCY CLASS (EEI_{class})	C
FLUID DYNAMIC EFFICIENCY (FDE_{hood})	11,2
FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class})	F
LIGHTNING EFFICIENCY (LE_{hood})	28,6
LIGHTNING EFFICIENCY CLASS (LE_{class})	A
GREASE FILTERING EFFICIENCY (GFE_{hood})	61,2
GREASE FILTERING EFFICIENCY CLASS (GFE_{class})	E
MINIMUM AIRFLOW (Q_{min})	266 m ³ /h
MAXIMUM AIRFLOW (Q_{max})	523 m ³ /h
AIRFLOW - BOOST (Q_{boost})	N/A m ³ /h
MINIMUM SOUND POWER LEVEL ($L_{WA min}$)	56 dBA
MAXIMUM SOUND POWER LEVEL ($L_{WA max}$)	67 dBA
SOUND POWER LEVEL - BOOST ($L_{WA boost}$)	N/A dBA
POWER CONSUMPTION OFF-MODE (P_o)	W
STANDBY POWER (P_s)	W
HEIGHT	mm*
DEPTH	mm*
WIDTH	mm*
WEIGHT	kg

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

PRODUCT INFORMATION



TFM 180

Item number: 513.05.2288.2

ANUAL ENERGY CONSUMPTION (AEC_{hood})	53,1 kWh/a
ENERGY EFFICIENCY CLASS (EEI_{class})	C
FLUID DYNAMIC EFFICIENCY (FDE_{hood})	11,2
FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class})	F
LIGHTNING EFFICIENCY (LE_{hood})	28,6
LIGHTNING EFFICIENCY CLASS (LE_{class})	A
GREASE FILTERING EFFICIENCY (GFE_{hood})	61,2
GREASE FILTERING EFFICIENCY CLASS (GFE_{class})	E
MINIMUM AIRFLOW (Q_{min})	266 m ³ /h
MAXIMUM AIRFLOW (Q_{max})	523 m ³ /h
AIRFLOW - BOOST (Q_{boost})	N/A m ³ /h
MINIMUM SOUND POWER LEVEL ($L_{WA min}$)	56 dBA
MAXIMUM SOUND POWER LEVEL ($L_{WA max}$)	67 dBA
SOUND POWER LEVEL - BOOST ($L_{WA boost}$)	N/A dBA
POWER CONSUMPTION OFF-MODE (P_o)	W
STANDBY POWER (P_s)	W
HEIGHT	mm*
DEPTH	mm*
WIDTH	mm*
WEIGHT	kg

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

PRODUCT INFORMATION



TFM 190

Item number: 513.05.2298.2

ANUAL ENERGY CONSUMPTION (AEC_{hood})	53,1 kWh/a
ENERGY EFFICIENCY CLASS (EEI_{class})	C
FLUID DYNAMIC EFFICIENCY (FDE_{hood})	11,2
FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class})	F
LIGHTNING EFFICIENCY (LE_{hood})	28,6
LIGHTNING EFFICIENCY CLASS (LE_{class})	A
GREASE FILTERING EFFICIENCY (GFE_{hood})	61,2
GREASE FILTERING EFFICIENCY CLASS (GFE_{class})	E
MINIMUM AIRFLOW (Q_{min})	266 m ³ /h
MAXIMUM AIRFLOW (Q_{max})	523 m ³ /h
AIRFLOW - BOOST (Q_{boost})	N/A m ³ /h
MINIMUM SOUND POWER LEVEL ($L_{WA min}$)	56 dBA
MAXIMUM SOUND POWER LEVEL ($L_{WA max}$)	67 dBA
SOUND POWER LEVEL - BOOST ($L_{WA boost}$)	N/A dBA
POWER CONSUMPTION OFF-MODE (P_0)	W
STANDBY POWER (P_s)	W
HEIGHT	mm*
DEPTH	mm*
WIDTH	mm*
WEIGHT	kg

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"