

## PRODUCT INFORMATION



# MANCHESTER

Item number: 520.42.5011.2

ANUAL ENERGY CONSUMPTION ( $AEC_{hood}$ )	86,8 kWh/a
ENERGY EFFICIENCY CLASS ( $EEI_{class}$ )	E
FLUID DYNAMIC EFFICIENCY ( $FDE_{hood}$ )	3,1 %
FLUID DYNAMIC EFFICIENCY CLASS ( $FDE_{class}$ )	G
LIGHTNING EFFICIENCY ( $LE_{hood}$ )	2,0 lux/W
LIGHTNING EFFICIENCY CLASS ( $LE_{class}$ )	G
GREASE FILTERING EFFICIENCY ( $GFE_{hood}$ )	66 %
GREASE FILTERING EFFICIENCY CLASS ( $GFE_{class}$ )	D
MINIMUM AIRFLOW ( $Q_{min}$ )	104 m <sup>3</sup> /h
MAXIMUM AIRFLOW ( $Q_{max}$ )	175 m <sup>3</sup> /h
AIRFLOW – BOOST ( $Q_{boost}$ )	- m <sup>3</sup> /h
MINIMUM SOUND POWER LEVEL ( $L_{WA min}$ )	48 dBA
MAXIMUM SOUND POWER LEVEL ( $L_{WA max}$ )	61 dBA
SOUND POWER LEVEL – BOOST ( $L_{WA boost}$ )	- dBA
POWER CONSUMPTION OFF-MODE ( $P_0$ )	0 W
STANDBY POWER ( $P_s$ )	0 W
HEIGHT	150 mm*
DEPTH	505 mm*
WIDTH	600 mm*

\*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

## PRODUCT INFORMATION



# MANCHESTER

Item number: 520.42.5012.2

ANUAL ENERGY CONSUMPTION ( $AEC_{hood}$ )	150,5 kWh/a
ENERGY EFFICIENCY CLASS ( $EEI_{class}$ )	F
FLUID DYNAMIC EFFICIENCY ( $FDE_{hood}$ )	3,1 %
FLUID DYNAMIC EFFICIENCY CLASS ( $FDE_{class}$ )	G
LIGHTNING EFFICIENCY ( $LE_{hood}$ )	1,7 lux/W
LIGHTNING EFFICIENCY CLASS ( $LE_{class}$ )	G
GREASE FILTERING EFFICIENCY ( $GFE_{hood}$ )	66 %
GREASE FILTERING EFFICIENCY CLASS ( $GFE_{class}$ )	D
MINIMUM AIRFLOW ( $Q_{min}$ )	150 m <sup>3</sup> /h
MAXIMUM AIRFLOW ( $Q_{max}$ )	273 m <sup>3</sup> /h
AIRFLOW – BOOST ( $Q_{boost}$ )	- m <sup>3</sup> /h
MINIMUM SOUND POWER LEVEL ( $L_{WA min}$ )	51 dBA
MAXIMUM SOUND POWER LEVEL ( $L_{WA max}$ )	68 dBA
SOUND POWER LEVEL – BOOST ( $L_{WA boost}$ )	- dBA
POWER CONSUMPTION OFF-MODE ( $P_0$ )	0 W
STANDBY POWER ( $P_s$ )	0 W
HEIGHT	150 mm*
DEPTH	505 mm*
WIDTH	600 mm*

\*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

## PRODUCT INFORMATION



# MANCHESTER

Item number: 520.42.5021.2

ANUAL ENERGY CONSUMPTION ( $AEC_{hood}$ )	86,8 kWh/a
ENERGY EFFICIENCY CLASS ( $EEI_{class}$ )	E
FLUID DYNAMIC EFFICIENCY ( $FDE_{hood}$ )	3,1 %
FLUID DYNAMIC EFFICIENCY CLASS ( $FDE_{class}$ )	G
LIGHTNING EFFICIENCY ( $LE_{hood}$ )	2,0 lux/W
LIGHTNING EFFICIENCY CLASS ( $LE_{class}$ )	G
GREASE FILTERING EFFICIENCY ( $GFE_{hood}$ )	66 %
GREASE FILTERING EFFICIENCY CLASS ( $GFE_{class}$ )	D
MINIMUM AIRFLOW ( $Q_{min}$ )	104 m <sup>3</sup> /h
MAXIMUM AIRFLOW ( $Q_{max}$ )	175 m <sup>3</sup> /h
AIRFLOW – BOOST ( $Q_{boost}$ )	- m <sup>3</sup> /h
MINIMUM SOUND POWER LEVEL ( $L_{WA min}$ )	48 dBA
MAXIMUM SOUND POWER LEVEL ( $L_{WA max}$ )	61 dBA
SOUND POWER LEVEL – BOOST ( $L_{WA boost}$ )	- dBA
POWER CONSUMPTION OFF-MODE ( $P_0$ )	0 W
STANDBY POWER ( $P_s$ )	0 W
HEIGHT	150 mm*
DEPTH	505 mm*
WIDTH	700 mm*

\*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"