

PRODUCT INFORMATION



PRESTON II

Item number: 540.23.2068.2

ANUAL ENERGY CONSUMPTION (AEC_{hood})	60,8 kWh/a
ENERGY EFFICIENCY CLASS (EEI_{class})	A
FLUID DYNAMIC EFFICIENCY (FDE_{hood})	29,7 %
FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class})	A
LIGHTNING EFFICIENCY (LE_{hood})	89,6 lux/W
LIGHTNING EFFICIENCY CLASS (LE_{class})	A
GREASE FILTERING EFFICIENCY (GFE_{hood})	61,3 %
GREASE FILTERING EFFICIENCY CLASS (GFE_{class})	E
MINIMUM AIRFLOW (Q_{min})	312 m ³ /h
MAXIMUM AIRFLOW (Q_{max})	560 m ³ /h
AIRFLOW – BOOST (Q_{boost})	787 m ³ /h
MINIMUM SOUND POWER LEVEL ($L_{WA min}$)	53 dBA
MAXIMUM SOUND POWER LEVEL ($L_{WA max}$)	64 dBA
SOUND POWER LEVEL – BOOST ($L_{WA boost}$)	69 dBA
POWER CONSUMPTION OFF-MODE (P_o)	- W
STANDBY POWER (P_s)	0,63 W
HEIGHT	510 mm*
DEPTH	485 mm*
WIDTH	600 mm*

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

PRODUCT INFORMATION



PRESTON II

Item number: 540.23.2068.3

ANUAL ENERGY CONSUMPTION (AEC_{hood})	46,1 kWh/a
ENERGY EFFICIENCY CLASS (EEI_{class})	C
FLUID DYNAMIC EFFICIENCY (FDE_{hood})	17,2 %
FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class})	D
LIGHTNING EFFICIENCY (LE_{hood})	89,6 lux/W
LIGHTNING EFFICIENCY CLASS (LE_{class})	A
GREASE FILTERING EFFICIENCY (GFE_{hood})	60,3 %
GREASE FILTERING EFFICIENCY CLASS (GFE_{class})	E
MINIMUM AIRFLOW (Q_{min})	282 m ³ /h
MAXIMUM AIRFLOW (Q_{max})	608 m ³ /h
AIRFLOW – BOOST (Q_{boost})	655 m ³ /h
MINIMUM SOUND POWER LEVEL ($L_{WA min}$)	47 dBA
MAXIMUM SOUND POWER LEVEL ($L_{WA max}$)	59 dBA
SOUND POWER LEVEL – BOOST ($L_{WA boost}$)	60 dBA
POWER CONSUMPTION OFF-MODE (P_0)	- W
STANDBY POWER (P_s)	0,63 W
HEIGHT	510 mm*
DEPTH	485 mm*
WIDTH	600 mm*

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

PRODUCT INFORMATION



PRESTON II

Item number: 540.23.2068.4

ANUAL ENERGY CONSUMPTION (AEC_{hood})	46,1 kWh/a
ENERGY EFFICIENCY CLASS (EEI_{class})	C
FLUID DYNAMIC EFFICIENCY (FDE_{hood})	17,2 %
FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class})	D
LIGHTNING EFFICIENCY (LE_{hood})	89,6 lux/W
LIGHTNING EFFICIENCY CLASS (LE_{class})	A
GREASE FILTERING EFFICIENCY (GFE_{hood})	60,3 %
GREASE FILTERING EFFICIENCY CLASS (GFE_{class})	E
MINIMUM AIRFLOW (Q_{min})	282 m ³ /h
MAXIMUM AIRFLOW (Q_{max})	608 m ³ /h
AIRFLOW – BOOST (Q_{boost})	655 m ³ /h
MINIMUM SOUND POWER LEVEL ($L_{WA min}$)	47 dBA
MAXIMUM SOUND POWER LEVEL ($L_{WA max}$)	59 dBA
SOUND POWER LEVEL – BOOST ($L_{WA boost}$)	60 dBA
POWER CONSUMPTION OFF-MODE (P_0)	- W
STANDBY POWER (P_s)	0,63 W
HEIGHT	510 mm*
DEPTH	485 mm*
WIDTH	600 mm*

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

PRODUCT INFORMATION



PRESTON II

Item number: 540.23.2068.5

ANUAL ENERGY CONSUMPTION (AEC_{hood})	53,3 kWh/a
ENERGY EFFICIENCY CLASS (EEI_{class})	C
FLUID DYNAMIC EFFICIENCY (FDE_{hood})	15,3 %
FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class})	D
LIGHTNING EFFICIENCY (LE_{hood})	89,6 lux/W
LIGHTNING EFFICIENCY CLASS (LE_{class})	A
GREASE FILTERING EFFICIENCY (GFE_{hood})	58,0 %
GREASE FILTERING EFFICIENCY CLASS (GFE_{class})	E
MINIMUM AIRFLOW (Q_{min})	165 m ³ /h
MAXIMUM AIRFLOW (Q_{max})	407 m ³ /h
AIRFLOW – BOOST (Q_{boost})	500 m ³ /h
MINIMUM SOUND POWER LEVEL ($L_{WA min}$)	40 dBA
MAXIMUM SOUND POWER LEVEL ($L_{WA max}$)	54 dBA
SOUND POWER LEVEL – BOOST ($L_{WA boost}$)	59 dBA
POWER CONSUMPTION OFF-MODE (P_0)	- W
STANDBY POWER (P_s)	0,63 W
HEIGHT	510 mm*
DEPTH	485 mm*
WIDTH	600 mm*

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

PRODUCT INFORMATION



PRESTON II

Item number: 540.23.2098.2

ANUAL ENERGY CONSUMPTION (AEC_{hood})	60,8 kWh/a
ENERGY EFFICIENCY CLASS (EEI_{class})	A
FLUID DYNAMIC EFFICIENCY (FDE_{hood})	31,4 %
FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class})	A
LIGHTNING EFFICIENCY (LE_{hood})	54,0 lux/W
LIGHTNING EFFICIENCY CLASS (LE_{class})	A
GREASE FILTERING EFFICIENCY (GFE_{hood})	62,9 %
GREASE FILTERING EFFICIENCY CLASS (GFE_{class})	E
MINIMUM AIRFLOW (Q_{min})	327 m ³ /h
MAXIMUM AIRFLOW (Q_{max})	543 m ³ /h
AIRFLOW – BOOST (Q_{boost})	780 m ³ /h
MINIMUM SOUND POWER LEVEL ($L_{WA min}$)	51 dBA
MAXIMUM SOUND POWER LEVEL ($L_{WA max}$)	61 dBA
SOUND POWER LEVEL – BOOST ($L_{WA boost}$)	67 dBA
POWER CONSUMPTION OFF-MODE (P_0)	- W
STANDBY POWER (P_s)	0,63 W
HEIGHT	510 mm*
DEPTH	485 mm*
WIDTH	900 mm*

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

PRODUCT INFORMATION



PRESTON II

Item number: 540.23.2098.3

ANUAL ENERGY CONSUMPTION (AEC_{hood})	45,0 kWh/a
ENERGY EFFICIENCY CLASS (EEI_{class})	C
FLUID DYNAMIC EFFICIENCY (FDE_{hood})	17,6 %
FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class})	D
LIGHTNING EFFICIENCY (LE_{hood})	54,0 lux/W
LIGHTNING EFFICIENCY CLASS (LE_{class})	A
GREASE FILTERING EFFICIENCY (GFE_{hood})	62,3 %
GREASE FILTERING EFFICIENCY CLASS (GFE_{class})	E
MINIMUM AIRFLOW (Q_{min})	275 m ³ /h
MAXIMUM AIRFLOW (Q_{max})	612 m ³ /h
AIRFLOW – BOOST (Q_{boost})	660 m ³ /h
MINIMUM SOUND POWER LEVEL ($L_{WA min}$)	46 dBA
MAXIMUM SOUND POWER LEVEL ($L_{WA max}$)	59 dBA
SOUND POWER LEVEL – BOOST ($L_{WA boost}$)	60 dBA
POWER CONSUMPTION OFF-MODE (P_0)	- W
STANDBY POWER (P_s)	0,63 W
HEIGHT	510 mm*
DEPTH	485 mm*
WIDTH	900 mm*

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

PRODUCT INFORMATION



PRESTON II

Item number: 540.23.2098.4

ANUAL ENERGY CONSUMPTION (AEC_{hood})	45,0 kWh/a
ENERGY EFFICIENCY CLASS (EEI_{class})	C
FLUID DYNAMIC EFFICIENCY (FDE_{hood})	17,6 %
FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class})	D
LIGHTNING EFFICIENCY (LE_{hood})	54,0 lux/W
LIGHTNING EFFICIENCY CLASS (LE_{class})	A
GREASE FILTERING EFFICIENCY (GFE_{hood})	62,3 %
GREASE FILTERING EFFICIENCY CLASS (GFE_{class})	E
MINIMUM AIRFLOW (Q_{min})	275 m ³ /h
MAXIMUM AIRFLOW (Q_{max})	612 m ³ /h
AIRFLOW – BOOST (Q_{boost})	660 m ³ /h
MINIMUM SOUND POWER LEVEL ($L_{WA min}$)	46 dBA
MAXIMUM SOUND POWER LEVEL ($L_{WA max}$)	59 dBA
SOUND POWER LEVEL – BOOST ($L_{WA boost}$)	60 dBA
POWER CONSUMPTION OFF-MODE (P_0)	- W
STANDBY POWER (P_s)	0,63 W
HEIGHT	510 mm*
DEPTH	485 mm*
WIDTH	900 mm*

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

PRESTON II

Item number: 540.23.2098.5

ANUAL ENERGY CONSUMPTION (AEC_{hood})	53,1 kWh/a
ENERGY EFFICIENCY CLASS (EEI_{class})	C
FLUID DYNAMIC EFFICIENCY (FDE_{hood})	15,7 %
FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class})	D
LIGHTNING EFFICIENCY (LE_{hood})	54,0 lux/W
LIGHTNING EFFICIENCY CLASS (LE_{class})	A
GREASE FILTERING EFFICIENCY (GFE_{hood})	59,0 %
GREASE FILTERING EFFICIENCY CLASS (GFE_{class})	E
MINIMUM AIRFLOW (Q_{min})	170 m ³ /h
MAXIMUM AIRFLOW (Q_{max})	416 m ³ /h
AIRFLOW – BOOST (Q_{boost})	512 m ³ /h
MINIMUM SOUND POWER LEVEL ($L_{WA min}$)	40 dBA
MAXIMUM SOUND POWER LEVEL ($L_{WA max}$)	55 dBA
SOUND POWER LEVEL – BOOST ($L_{WA boost}$)	58 dBA
POWER CONSUMPTION OFF-MODE (P_0)	W
STANDBY POWER (P_s)	W
HEIGHT	510 mm*
DEPTH	485 mm*
WIDTH	900 mm*

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to “COMMISSION DELEGATED REGULATION (EU) No 65/2014”