

## PRODUCT INFORMATION



# HARWICH

Item number: 52742.8568.2

ANUAL ENERGY CONSUMPTION ( $AEC_{hood}$ )	45,3 kWh/a
ENERGY EFFICIENCY CLASS ( $EEI_{class}$ )	A
FLUID DYNAMIC EFFICIENCY ( $FDE_{hood}$ )	29,5
FLUID DYNAMIC EFFICIENCY CLASS ( $FDE_{class}$ )	A
LIGHTNING EFFICIENCY ( $LE_{hood}$ )	40
LIGHTNING EFFICIENCY CLASS ( $LE_{class}$ )	A
GREASE FILTERING EFFICIENCY ( $GFE_{hood}$ )	74
GREASE FILTERING EFFICIENCY CLASS ( $GFE_{class}$ )	D
MINIMUM AIRFLOW ( $Q_{min}$ )	286 m <sup>3</sup> /h
MAXIMUM AIRFLOW ( $Q_{max}$ )	564 m <sup>3</sup> /h
AIRFLOW - BOOST ( $Q_{boost}$ )	679 m <sup>3</sup> /h
MINIMUM SOUND POWER LEVEL ( $L_{WA min}$ )	48 dBA
MAXIMUM SOUND POWER LEVEL ( $L_{WA max}$ )	63 dBA
SOUND POWER LEVEL - BOOST ( $L_{WA boost}$ )	68 dBA
POWER CONSUMPTION OFF-MODE ( $P_0$ )	0 W
STANDBY POWER ( $P_s$ )	0,9 W
HEIGHT	560-995 mm*
DEPTH	485 mm*
WIDTH	600 mm*
WEIGHT	14 kg

\*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

## PRODUCT INFORMATION



# HARWICH

Item number: 52742.8578.2

ANUAL ENERGY CONSUMPTION ( $AEC_{hood}$ )	45,3 kWh/a
ENERGY EFFICIENCY CLASS ( $EEI_{class}$ )	A
FLUID DYNAMIC EFFICIENCY ( $FDE_{hood}$ )	29,5
FLUID DYNAMIC EFFICIENCY CLASS ( $FDE_{class}$ )	A
LIGHTNING EFFICIENCY ( $LE_{hood}$ )	40
LIGHTNING EFFICIENCY CLASS ( $LE_{class}$ )	A
GREASE FILTERING EFFICIENCY ( $GFE_{hood}$ )	74
GREASE FILTERING EFFICIENCY CLASS ( $GFE_{class}$ )	D
MINIMUM AIRFLOW ( $Q_{min}$ )	286 m <sup>3</sup> /h
MAXIMUM AIRFLOW ( $Q_{max}$ )	564 m <sup>3</sup> /h
AIRFLOW - BOOST ( $Q_{boost}$ )	679 m <sup>3</sup> /h
MINIMUM SOUND POWER LEVEL ( $L_{WA min}$ )	48 dBA
MAXIMUM SOUND POWER LEVEL ( $L_{WA max}$ )	63 dBA
SOUND POWER LEVEL - BOOST ( $L_{WA boost}$ )	68 dBA
POWER CONSUMPTION OFF-MODE ( $P_0$ )	0 W
STANDBY POWER ( $P_s$ )	0,9 W
HEIGHT	560-995 mm*
DEPTH	485 mm*
WIDTH	700 mm*
WEIGHT	15,5 kg

\*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

## PRODUCT INFORMATION



# HARWICH

Item number: 52742.8598.2

ANUAL ENERGY CONSUMPTION ( $AEC_{hood}$ )	45,3 kWh/a
ENERGY EFFICIENCY CLASS ( $EEI_{class}$ )	A
FLUID DYNAMIC EFFICIENCY ( $FDE_{hood}$ )	29,5
FLUID DYNAMIC EFFICIENCY CLASS ( $FDE_{class}$ )	A
LIGHTNING EFFICIENCY ( $LE_{hood}$ )	40
LIGHTNING EFFICIENCY CLASS ( $LE_{class}$ )	A
GREASE FILTERING EFFICIENCY ( $GFE_{hood}$ )	74
GREASE FILTERING EFFICIENCY CLASS ( $GFE_{class}$ )	D
MINIMUM AIRFLOW ( $Q_{min}$ )	286 m <sup>3</sup> /h
MAXIMUM AIRFLOW ( $Q_{max}$ )	564 m <sup>3</sup> /h
AIRFLOW - BOOST ( $Q_{boost}$ )	679 m <sup>3</sup> /h
MINIMUM SOUND POWER LEVEL ( $L_{WA min}$ )	48 dBA
MAXIMUM SOUND POWER LEVEL ( $L_{WA max}$ )	63 dBA
SOUND POWER LEVEL - BOOST ( $L_{WA boost}$ )	68 dBA
POWER CONSUMPTION OFF-MODE ( $P_0$ )	0 W
STANDBY POWER ( $P_s$ )	0,9 W
HEIGHT	560-995 mm*
DEPTH	485 mm*
WIDTH	900 mm*
WEIGHT	17 kg

\*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

## PRODUCT INFORMATION



# HARWICH

Item number: 52742.8599.2

ANUAL ENERGY CONSUMPTION ( $AEC_{hood}$ )	45,3 kWh/a
ENERGY EFFICIENCY CLASS ( $EEI_{class}$ )	A
FLUID DYNAMIC EFFICIENCY ( $FDE_{hood}$ )	29,5
FLUID DYNAMIC EFFICIENCY CLASS ( $FDE_{class}$ )	A
LIGHTNING EFFICIENCY ( $LE_{hood}$ )	40
LIGHTNING EFFICIENCY CLASS ( $LE_{class}$ )	A
GREASE FILTERING EFFICIENCY ( $GFE_{hood}$ )	74
GREASE FILTERING EFFICIENCY CLASS ( $GFE_{class}$ )	D
MINIMUM AIRFLOW ( $Q_{min}$ )	286 m <sup>3</sup> /h
MAXIMUM AIRFLOW ( $Q_{max}$ )	564 m <sup>3</sup> /h
AIRFLOW - BOOST ( $Q_{boost}$ )	679 m <sup>3</sup> /h
MINIMUM SOUND POWER LEVEL ( $L_{WA min}$ )	48 dBA
MAXIMUM SOUND POWER LEVEL ( $L_{WA max}$ )	63 dBA
SOUND POWER LEVEL - BOOST ( $L_{WA boost}$ )	68 dBA
POWER CONSUMPTION OFF-MODE ( $P_0$ )	0 W
STANDBY POWER ( $P_s$ )	0,9 W
HEIGHT	560-995 mm*
DEPTH	485 mm*
WIDTH	1200 mm*
WEIGHT	18,5 kg

\*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"